


NITROSET[®]

SOLID PROPELLANT FASTENING SYSTEM



HOW WE BECAME THE LEADER IN SOLID PROPELLANT FASTENING.

Established in 2005, Nitroset embarked on a mission to develop a revolutionary commercial concrete fastening system for interior trades. Our primary goal was to provide a fastening system that excels in hard, high-psi concrete and structural steel substrates. We aimed to help customers improve performance, increase speed of application, reduce installed costs, and improve safety on the jobsite.


Options in the direct fastener market that yielded a high stick rate into high psi concrete at the time were limited. Users would have to resort to pre-drilling anchors to address these needs. The Nitroset system changed this landscape by providing a solution to this problem. Harnessing the power behind our solid propellant, Nitroset created a system that eliminated the use of gun powder and other explosive loads increasing jobsite safety while improving upon application efficiency.

The Nitroset Solid Propellant Fastening System is the go-to-solution for increasing performance and working in restrictive lead-free work environments. Reach out for a demonstration and see why Nitroset is helping contractors succeed.

NITROSET®

VERSATILITY

OVERHEAD



SIDEWALL



TRACK



ABOUT NITROSET 2

- APPLICATIONS 4
- KEY ADVANTAGES 5

NITROSET TOOLS 6

- NITROSET NTS805 TOOLS 6-7
- NITROSET EXTENSION POLES & HAND GRIP 8
- NITROSET TOOL KITS 9

NITROSET FASTENERS 10

- SIDEWALL & TRACK PINS 11
- CEILING FASTENERS 12-13
- PRE-TIED CEILING WIRE/FASTENERS 14
- POWER-DRIVEN S.S. FASTENERS 15
- MECHANICAL & ELECTRICAL FASTENERS 16-17

SAFETY & REQUIRED PPE 18

NITROSET PARTS 19

- NITROSET PART KITS 19
- NITROSET PARTS LIST 20
- NITROSET PARTS DIAGRAM 21

COMPANY OVERVIEW 22


- ABOUT NITROSET / TECHNOLOGY 22
- TRAINING & SUPPORT 23
- CONTACT 24



ONE TOOL DOES IT.

VERSATILITY

Our Nitroset NTS805 Series Tools (PG. 6-7) attach to either **Nitroset Extension Poles (for overhead)** or **Nitroset Hand Grips & Extensions for Sidewall & Track (PG. 8)**. Utilizing the power of lead-free **Nitroset Solid Propellant Fasteners (PG. 10 - 17)**, our solid propellant fastening system allows users to fasten into hard, high-psi concrete and structural steel in just one shot. No pre-drilling. No need for a separate power load, or setting penetration strength or depth. No overdriving. Simply push the tool against the concrete or structural steel substrate to actuate the fastener. We offer preconfigured **Nitroset Tool Kits (PG. 9)** to get you started, and **Replacement Part Kits (PG. 19)** and **Replacement Parts (PG.20)** to keep you going. Our variety of Nitroset handles makes the system so versatile that only one Nitroset NTS805 Tool is needed for overhead, sidewall and track applications.





OVERHEAD

- Attach our wide selection of **2 & 3 Section Extension Poles**, ranging from 4' to 18' in length, to fasten into concrete, structural steel and pan decking from the floor or a solid platform
- Nitroset is a dynamic solution for installing hanger wire or other components used in the acoustical ceiling, mechanical and electrical trades
- Our tools are lightweight and nimble and easy to balance and fit into tight spaces
- Users can store multiple pre-tied wires inside the Extension Pole for efficient operation.
- Lightweight design increases stamina and is easy on the user

SIDEWALL

- Attach our **Hand Grip** for accurate horizontal fastening into concrete and structural steel
- Ideal for fastening conduit straps, washered pins and other fasteners into sidewalls.
- The **New Composite Outer Sleeve** on the NTS805 provides the added hand protection and comfort when using horizontally



TRACK

- Attach our **14" Fiberglass Extension to the Hand Grip** to achieve a comfortable working height suitable for reaching floors and fastening track
- Fasten into hard, high-psi concrete in one shot, rather than pre-drilling and installing anchors when facing tough concrete

POWER, NOT POWDER.

THE NITROSET ADVANTAGE


NTS805

VS.


"THE OTHER GUYS"

POWER ACTUATED (NOT POWDER ACTUATED)	POWDER ACTUATED
Uses Nitrocellulose fasteners that are lead-free	Uses .22 Caliber Loads that contain lead
Lowest profile design- Lighter and more nimble - Able to fit into the tightest of spaces	Bulky trigger pull design- Heavier and less nimble- Cannot fit into as many tight spaces
Soft impact- Does not use a piston to drive the fastener and does not recoil the tool. Easier on the user.	Hard impact- Piston driven system with heavy recoil. More strenuous on the user.
Greater stick rate in high-psi concrete. Less spalling and fish-hooking when fastening into hard concrete.	Poor stick rate in high-psi concrete. More spalling and fish hooking when fastening into hard concrete.
Single shot for all application	Collated options available for some applications
<div> <div>Reduces Material</div> <div>Higher Stick Rate</div> <div>Less Labor</div> <div>Higher Efficiency</div> </div> <div>➤</div> <div> <div>Lower In-Place Cost</div> </div>	<div> <div>Added Materials</div> <div>Lower Stick Rate</div> <div>Added Labor</div> <div>Less Efficiency</div> </div> <div>➤</div> <div> <div>Higher In-Place Cost</div> </div>

ADDED BENEFITS OF NITROSET

FEATURES	BENEFITS
100% Lead-Free	Approved for use on projects with lead restrictions (i.e. Government, Airports, Hospitals, Schools, etc.)
Primer Free	No fines for unspent shots/loads left on the jobsite
Low Hazard- Non-Explosive	Nitroset is not regulated as a class 1 explosive
Nitroset Fasteners do not contain brass	No clean up of spent brass shells and no risk of fines
Vented tool design	Protects overdrive of fasteners
Lightweight and nimble	Reduces user fatigue and is most versatile in areas with difficult access into tight spaces

NTS805

S E R I E S T O O L S



New Nose Piece design keeps threads outside of the debris cup area making for quick and easy removal and cleaning.

Simply load a Nitroset Fastener and you're ready to go. No separate caliber loads or power load/depth adjustment settings. One fastener. One shot. The added **Spall Guard** protects the user and surrounding environment from falling debris.



WHAT'S NEW

The new 805 Tools builds on the success it's predecessor the 801, and includes new innovations:

- Now available in Standard and Short (S) models
- Newly designed nosepiece
- Composite Outer Sleeve Grip
- Weight reduction
- Newly designed Spall Guards

HIGHLIGHTS

- Uses lead-free, gunpowder free, Nitroset Fasteners that are non-explosive and safe in restrictive areas
- Penetrates hard, high-psi concrete and structural steel in one shot. No need for different power loads. No overdriving. Excellent stick rate.
- Lightweight, low-profile tool design is easy to use and eases access in tight overhead areas
- Use with Nitroset Extension Poles to reach a multitude of heights without changing poles, and eliminate the need for lifts and ladders when overhead fastening

FOR CONCRETE & STRUCTURAL STEEL



New Composite Outer Sleeve provides a comfortable gripping area on the tool, especially after much usage. Changing from aluminum to composite not only helps with heat exchange and dissipation, but the added inner channels keep the tool running smoothly.



Threaded End accepts a variety of handles for overhead, sidewall and floor applications.



■ APPLICATIONS

- ✓ **Acoustical Ceilings**
- ✓ **Mechanical & Electrical**
- ✓ **Steel Stud Framing Track**

■ DESCRIPTION

Nitroset NTS805 Series Solid Propellant Fastening Tools are designed to fasten lead-free Nitroset Fasteners into Concrete and Structural Steel. The 805 Tools are available in two models: Standard (NTS805 - for 7/8" to 1-1/2" pins and clips) and Short (NTS805-S - for 1/2" to 1-1/4" pins and clips). To use both 1/2" and 1-1/2" fasteners on one tool, we suggest purchasing one of our NTS805 Short Tool Kits (PG. 9) and also purchasing a Standard Reset Sleeve (PG. 21, Item Code NTS805-10). Simply swap between the Standard and Short reset sleeves to actuate the desired pin length.



◀ TELESCOPING EXTENSION POLES

Our Extension Poles make quick work of adjusting to the height you need to reach. A must for overhead applications, these durable and lightweight time-savers come in four extendable pole options ranging from a minimum of 4' to a maximum of 18'. The internal wire storage compartment provides quick access to pre-tied wire for better efficiency. The extra-long ribbed grip makes holding the handle comfortable and secure at every extension.

Item Code	# of Sections	Min. & Max. Extension	Item Weight	Pack
TOP8V	2	4 ft - 8 ft	5 lbs	1 Pole
TOP12V	2	6 ft - 12 ft	6 lbs	1 Pole
TOP123V	3	4 ft - 8 ft - 12 ft	6 lbs	1 Pole
TOP183V	3	6 ft - 12 ft - 18 ft	8 lbs	1 Pole

HAND GRIP AND EXTENSION

The Nitroset Hand Grip turns the NTS805 into our most compact fastening solution, and our best tool for sidewall applications. Add the 14" Fiberglass Extension to extend the length and reach floors more comfortably when doing steel stud track installation.



Item Code	Description	Item Weight	Pack
NTS101-19	Hand Grip	7 oz	1 Grip
TOPF-MF14	14" Fiberglass Extension	6 oz	1 Extension

TOOL KITS

NTS805-XTP



Power up with Nitroset Tool Kits

The journey to lead-free fastening into concrete and structural steel begins with a Nitroset Tool Kit. Add some Nitroset Fasteners, and maybe an Extension Pole (if you need one for overhead work), and you're off.

When choosing between our Tool Kit options, you need to decide a couple of things:

- 1. Will you need to install 1-1/2" pins/clips?** Our **Standard Tool Kits** are for use with 7/8" to 1-1/2" pins/clips, whereas our **Short Tool Kits** are designed for 1/2" to 1-1/4" pins/clips (and will not work with 1-1/2").
- 2. Will you ever want to use the tool horizontally (i.e. for sidewall applications), or for floor applications (like steel stud track)?** If so, choose one of our kits that includes the Hand Grip & 14" Fiberglass Extension. These handles are ideal for sidewall and track applications. To do overhead work, like hanging Acoustical/Suspended Ceiling Wire, you will need to purchase a Telescoping Extension Pole separately (PG. 8).

All Kits Include: (1) Nitroset Tool Case, (1) NTS805 Tool (Standard or Short), Cleaning Brushes and Cleaning Lubricant, Wrenches, Safety Glasses, and an Operations Manual (which you are required to read before using the tool).

Item Code	Description	For Use With	Pack	Case
NTS805-X	Nitroset NTS805 Standard Tool Kit*	7/8" to 1-1/2" pins/clips	1 Kit	4 Kits
NTS805-XTP	Nitroset NTS805 Standard Tool Kit* w/ Hand Grip & 14" Fiberglass Extension	7/8" to 1-1/2" pins/clips	1 Kit	4 Kits
NTS805-S-X	Nitroset NTS805 Short Tool Kit*	1/2" to 1-1/4" pins/clips	1 Kit	4 Kits
NTS805-S-XTP	Nitroset NTS805 Short Tool Kit* w/ Hand Grip & 14" Fiberglass Extension	1/2" to 1-1/4" pins/clips	1 Kit	4 Kits

*Tool Kit does not include Telescoping Extension Pole. Pole(s) must be purchased separately.

**NITROSET®****FOR CONCRETE & STRUCTURAL STEEL**

FASTENERS

Nitroset Solid Propellant Fasteners are engineered to fasten into hard, high-psi concrete and structural steel in one shot, without the use of gunpowder or other dangerous explosives. Our lead-free fasteners are preferred on jobsites with lead restrictions, but not just because of their safety and low hazards. Thanks to our innovative and patented solid propellant fastening technology, Nitroset fasteners stick strong when competitors fail to penetrate, spall or fishhook. Our fasteners are fully assembled, and consist of strong steel shank, nitrocellulose charge, and are available with a number of clip options. No need for different power loads. Nitroset Fasteners all utilize the same load strength, set flush, and do not overdrive.



- Lead-free, primer-free, non-explosive Nitroset fasteners are safe to use in high security and lead-free zones such as schools, hospitals, airports, military bases and government facilities.
- Nitroset fasteners are brass-free; eliminating fines and costs related to policing and storing other manufacturers' brass loads on the jobsite.



SIDEWALL & TRACK PINS

A variety of pins engineered to attach elements, such as track, metal lath and more, to concrete and/or structural steel.



TRACK PINS

Application: For attaching metal track to concrete.



Item Code	Description	Pack	Case
PIN219	3/4" X 0.125 Track Pin	1000 pc	10,000 pc
PIN319	3/4" X 0.145 Track Pin	1000 pc	10,000 pc
PIN219T	3/4" X 0.125 Track Pin w/ Top Hat	500 pc	5,000 pc
PIN222	7/8" X 0.125 Nitro Track Pin	500 pc	5,000 pc

WASHERED PINS

Application: For attaching elements, such as metal lath, to concrete.



Item Code	Description	Pack	Case
PIN222W	7/8" X 0.125 Nitro Track Pin w/ 9/16 Washer	500 pc	5,000 pc
PIN222SW	7/8" X 0.125 Nitro Track Pin w/ Square Washer	100 pc	1,000 pc
PIN532NW	1-1/4" Nitro Step Shank Pin w/ Nitro Washer	100 pc	1,000 pc

ALLOWABLE LOADS FOR NITROSET ASSEMBLIES INSTALLED INTO NORMAL-WEIGHT CONCRETE (lbf)

ASSEMBLY	EMBEDMENT DEPTH (INCHES)	CONCRETE COMPRESSIVE STRENGTH & LOAD DIRECTION					
		4,000 PSI			6,000 PSI		
		Tension	Shear	45-Degree	Tension	Shear	45-Degree
PIN219	5/8	85	70	-	175	65	-
PIN222	3/4	100	200	-	205	100	-
PIN525	13/16	180	195	-	205	185	-
PIN532	1-1/16	250	355	-	200	215	-

For SI: 1 inch = 25.4 mm; 1 lbf = 4.4 N; 1 psi = 6895 Pa.

¹ Fasteners must not be driven until the concrete has reached the specified compressive strength.

² Concrete thickness at the point of penetration must be a minimum of three times the embedment depth.

KNURL PINS

Application: Knurled shank. For attaching elements to structural steel.



Item Code	Description	Pack	Case
PIK313	1/2" X 0.145 Knurl Pin*	500 pc	5,000 pc
PIK316	5/8" X 0.145 Knurl Pin*	500 pc	5,000 pc


NOTE: *1/2" and 5/8" pins require the Short NTS805-S Tool, which is equipped with the NTS805-10-S Short Reset Sleeve. These short Knurl Pins will not actuate properly in the Standard NTS805 Tool (or on a tool with the NTS805-10 Standard Reset Sleeve installed).

CEILING FASTENERS

- ✓ Nitroset Fasteners are ideal for ceiling structures
- ✓ Our Heavy Duty Pins & Clips offer optimum consistency and holding value into tough concrete
- ✓ Ideally suited for high-volume applications due to our one step fastening actuation
- ✓ Pre-tied assemblies available for ceiling wire

Nitroset Fasteners have been specifically designed to support ceiling structures. Our Heavy-Duty Step Shank Pins & Clips (CLAS) offer optimum consistency and holding value into the toughest jobsite applications. The Heavy-Duty Pencil Rod Pins & Clips (CLS) have extended length clips to make quick work of pencil rods installation in one single fastening. Our Utility Clips (CLU) are ideal for electricians and high-volume ceiling applications.

From everyday scenarios to the toughest applications count on Nitroset to deliver the clip assembly for your next project.



CEILING PINS & CLIPS

A variety of pins engineered to attach elements, such as track, metal lath and more, to concrete and/or structural steel.



UTILITY CLIPS



Application: For vertical attachment of tire wire, chain, cable, or other fastening support to concrete or structural steel base materials.

Item Code	Description	Pack	Case
CLU222	7/8" X 0.125 Pin w/ Pre-Mounted 120° Clip	100 pc	1,000 pc



HEAVY DUTY STEP SHANK PINS & CLIPS



Application: For wire suspension hanging acoustical ceiling systems or other overhead fixtures and applications such as hanging lights.

Item Code	Description	Pack	Case
CLAS525	1" Step Shank Pin w/ Nitro Clip Assembly	100 pc	1,000 pc
CLAS532	1-1/4" Step Shank Pin w/ Nitro Clip Assembly	100 pc	1,000 pc



HEAVY DUTY PENCIL ROD PINS & CLIPS



Application: For pencil rod and wire suspension hanging acoustical ceiling systems or other overhead fixtures and applications such as hanging lights.

Item Code	Description	Pack	Case
CLSUPL525	1" Step Shank Pin w/ Extended Clip Assembly	100 pc	1,000 pc
CLSUPL532	1-1/4" Step Shank Pin w/ Extended Clip Assembly	100 pc	1,000 pc

ALLOWABLE LOADS FOR NITROSET ASSEMBLIES INSTALLED INTO NORMAL-WEIGHT CONCRETE (lbf)^{1,2}

ASSEMBLY	EMBEDMENT DEPTH (INCHES)	CONCRETE COMPRESSIVE STRENGTH & LOAD DIRECTION					
		4,000 PSI			6,000 PSI		
		Tension	Shear	45-Degree	Tension	Shear	45-Degree
CLU222	Controlled by clip thickness	120	165	120	115	276	209
CLAS525		158	242	151	163	184	168
CLAS532		150	147	213	171	146	152

For SI: 1 inch = 25.4 mm; 1 lbf = 4.4 N; 1psi = 6895 Pa.

¹ Fasteners must not be driven until the concrete has reached the specified compressive strength.

² Concrete thickness at the point of penetration must be a minimum of three times the embedment depth.

PRE-TIED WIRE

Nitroset Fasteners can be pre-tied to wire for use on many types of ceiling structures including grid and tiles, light fixtures, wiring harnesses; and other custom electrical and mechanical assemblies.

Nitroset stocks a wide selection of pre-tied wires. 12 gauge wire with 7/8", 1" and 1-1/4" size fastener assemblies in standard lengths are readily available for expedited shipping. Custom options are available upon request to meet specific jobsite needs (See below).

Our pre-tied wires come bundled in custom steel crates that are easy to handle and effectively protect the material during transit. Always store pre-tied wire indoors and keep them dry.



CUSTOM OPTIONS

Custom lengths, gauges and ties available:

- 8 or 9 gauge wire options (12 gauge standard)
- Stainless Steel Wire
- Double-Tie Wire

Need something else custom? Just ask.



WE NAILED IT.
NO DRILLING. NO ANCHORS.

POWER-DRIVEN
STAINLESS STEEL FASTENERS



FOR HIGH-PSI CONCRETE

MADE IN THE U.S.A.

**NAILING THE HARDEST JOBS REQUIRES
THE HARDEST WORKING FASTENERS.**

Penetrate into high-psi precast concrete in one shot with **Nitroset Power-Driven Stainless Steel Fasteners**, just like we did in the SR-99 Tunnel in Seattle, WA.

- Power-Driven system for 9,000 - 12,000 psi concrete
- Ideal for installing metal lath to precast
- High corrosion resistant stainless steel pins
- Custom S.S. washers, clips and threaded fasteners
- No drilling or anchoring, just nail it.

NITROSET®



MECHANICAL & ELECTRICAL

THREADED ROD HANGERS



Application: For vertical attachment of threaded rod to concrete or structural steel base material.



Item Code	Description	Pack	Case
CLR14-222	1/4"-20 Threaded Rod Hanger w/ 7/8" x 0.125 Pin	100 pc	1,000 pc
CLR38-222	3/8"-16 Threaded Rod Hanger w/ 7/8" x 0.125 Pin	100 pc	1,000 pc

HEAVY DUTY THREADED ROD HANGERS



Application: For heavy-duty vertical attachment of threaded rod to concrete and structural base material.



Item Code	Description	Pack	Case
CLRHD14-525	1/4"-20 Heavy Duty Threaded Rod Hanger w/ 1" Step Shank Pin	100 pc	1,000 pc
CLRHD38-525	3/8"-16 Heavy Duty Threaded Rod Hanger w/ 1" Step Shank Pin	100 pc	1,000 pc

BRIDLE RING CLIP ASSEMBLIES

Application: For hanging low voltage cable.



Item Code	Description	Pack	Case
CLR14222-BRT114	1/4"-20 Threaded Rod Clip & 7/8" Pin w/ 1-1/4" Bridle Ring Combo	100 pc	1,000 pc
CLR14222-BRT2	1/4"-20 Threaded Rod Clip & 7/8" Pin w/ 2" Bridle Ring Combo	100 pc	1,000 pc

High production overhead fastening has never been easier.

Custom pre-assembled hangers can be installed directly from the floor without the need for manlifts or ladders. Save labor and add value when you fasten with Nitroset.



ONE-HOLE STRAP



Application: For multi-position (floor, wall or ceiling) attachment of electrical conduit or armored cable to concrete or structural steel base material.

Item Code	Description	Pack	Case
CLC38-222	3/8" One-Hole Strap w/ 7/8" X 0.125 Pin	100 pc	1,000 pc
CLC12-222	1/2" One-Hole Strap w/ 7/8" X 0.125 Pin	100 pc	1,000 pc
CLC34-222	3/4" One-Hole Strap w/ 7/8" X 0.125 Pin	100 pc	1,000 pc
CLC1E-222	1" One-Hole Strap w/ 7/8" X 0.125 Pin	50 pc	500 pc



CABLE TIE CLIP ASSEMBLY

Application: For installing or securing electrical fittings or cable to concrete. Uses a standard cable tie up to 3/8" width.

Item Code	Description	Pack	Case
CLT219	Cable Tie Clip w/ 3/4" X 0.125 Pin	100 pc	1,000 pc



THREADED STUDS

Application: For attaching electrical components to concrete where removability of the component is required.

Item Code	Description	Pack	Case
STT14	1/4" Threaded Stud - 1-1/4" Length*, 7/8" Shank	100 pc	1,000 pc

NOTE: *1-1/4" length fasteners require the Standard NTS805 Tool, which is equipped with the NTS805-10 Standard Reset Sleeve. 1-1/4" length fasters will not actuate properly in the Short NTS805-S Tool (or on a tool with the NTS805-10-S Short Reset Sleeve installed).

PPE REQUIRED.

Proper personal protective equipment is required before operating the Nitroset Solid Propellant Fastening System. A Hard Hat, Safety Glasses, Ear Protection, Safety Gloves and Work Boots are required. We recommend wearing a Safety Vest and following all other job site requirements.



Ear Protection

Safety Vest

Safety Gloves

Spall Guard
required

Work Boots

Hard Hat

Safety Glasses
or Face Shield

WARNING

DO NOT operate any Nitroset Tool unless you have completely read and understood the full contents of the tool's Operation & Safety Manual.

Please visit Nitroset.com to download an Operation & Safety Manual, access our Technical Library, FAQs, Tool Maintenance Videos and more.


Contact us for help.



CLEANING KIT

NTS101-20-KIT


NTS101-22	Wire brush
NTS101-23	Strike-Hold Degreaser
NTS101-24	Microfiber Cloth



SPRING KIT

NTS101-20-KIT2


NTS101-5	Trigger Ball Spring
NTS101-9	Firing Spring
NTS101-11	Reset Spring



REPAIR KIT

NTS101-20-KIT3

NTS101-4	Firing Pin
NTS101-5	Trigger Ball Spring
NTS101-8	Roll Pin
NTS101-9	Firing Spring
NTS101-11	Reset Spring



FIRING PIN ASSEMBLY & SPRING KIT

NTS101-20-KIT4

NTS101-4	Firing Pin
NTS101-5	Trigger Ball Spring
NTS101-6	Firing Pin Holder
NTS101-8	Roll Pin
NTS101-9	Firing Spring
NTS101-11	Reset Spring



COMPLETE REBUILD KIT

NTS101-20-KIT5

NTS101-4	Firing Pin
NTS101-5	Trigger Ball Spring
NTS101-6	Firing Pin Holder
NTS101-7	Trigger Ball Release
NTS101-8	Roll Pin
NTS101-9	Firing Spring
NTS101-11	Reset Spring
NTS101-12	Main Assembly Pin

NTS805



2" No-Cut Spall Guard
NTS101-0-SR



3" Full-Cut Spall Guard
NTS101-0-C



3.5" Spall Guard
NTS101-0-CLAS



Spall Guard Clip
NTS101-0-U



Muzzle
NTS805-1



Debris Cup
NTS805-2



Firing Pin Guide
NTS805-3



Firing Pin
NTS101-4



Trigger Ball Spring
NTS101-5



Firing Pin Holder
NTS101-6



Trigger Ball Release
NTS101-7



1/8" Roll Pin
NTS101-8



Firing Spring
NTS101-9



Reset Sleeve
(STANDARD) NTS805-10
(SHORT) NTS805-10-S



Reset Spring
NTS101-11



1/4" Main Assembly Pin
NTS101-12



Trigger Body
Not sold separately



Outer Cover Sleeve
NTS805-14



End Cap
NTS101-15



Buffer
NTS101-16



Red Adapter
NTS805-17-A



Nosepiece Rubber Gasket
NTS805-29




14" Fiberglass Extension*
TOPF-MF14



Hand Grip*
NTS101-19

*These parts are included in the NTS805 Triple Play Tool Kits.

NTS805




Parts in this diagram are to scale (not actual size).

ABOUT NITROSET

Nitroset, LLC, headquartered in Houston, Texas, U.S.A., specializes in providing high-quality fastening solutions. The Nitroset solid propellant fastening system is an innovative fastening solution that offers superior performance into normal to hard aggregate concrete surfaces and structural steel.

TECHNOLOGY

The Nitroset system harnesses the energy of the Nitroset solid propellant to drive fasteners into concrete and structural steel rather than using traditional primer and gunpowder loads. The system is 100% lead-free in compliance with OSHA (CFR 1926.62) and no-lead worksite requirements. It is classified as non-explosive allowing for standard shipping and storage of the fasteners. The result is a system that stresses operations and environmental safety. Nitroset delivers a complete enhanced solution for the fastener industry.



NITROSET[®]
SOLID PROPELLANT FASTENING SYSTEM

TRAINING & SUPPORT

Nitroset offers a wealth of training and support, from Operations Manuals and Disassembly/Assembly Videos, to In-Person Demonstrations and Live Training. Our national team of sales and technical representatives, as well as, our many dealers and distributors, are here to help your team succeed and stay safe while experiencing the benefits of our innovative fastening technology. Please visit our website for more information and reach out at any time. Our contact information is on the back.



NITROSET[®]

SOLID PROPELLANT FASTENING SYSTEM



CONNECT WITH US

We are here to help with anything you may need. Please don't hesitate to reach out. Thank you!

Hours of Operation

Monday-Friday 8am-4:30pm CST

Nitroset, LLC.

5600 Bonhomme Rd
Suite D
Houston, TX 77036

1 (800) 524-4649
Fax: (713) 781-5677
sales@nitroset.com

www.nitroset.com